

Alvic.



- 1.
- 2.
- 3.
- 4.
- 5.



“LUXE ALVIC”

«ALVIC»

«ALVIC»

, “LUXE ALVIC”

UV

(,)

“LUXE ALVIC”



ABS.



«LUXE ALVIC»

Rehau.

ABS

« »

25

3D
ABS,

2

:

PMMA..

..

Rakolit 77 + hardener agent WS1.

:

- (EVA, ,).

POLIURETHANE PUR GLUE

(model PU-128, PU-127).

HOMAG:

- « »
 (, ,).
 - HOMAG .



- 1.
2. ():
3. : 16-20° (),
4. : 1,5- 2 ,
5. :
 • : EVA (, PA (), PUR (), APAO ()).
 () : PA
 • ()
 •
 ()
 • , 90 220°.

(

).

6.

:

- 8 20 / .

7.

:

•

•

- 90°

8.

:

-

9.

- 0° (

1-2),

:

-

•

•

18000 /
3 4

•

•

10.

:

0,05 0,2

11.

:

1500

3000 /


•

•

10 15°

•

- 10°



()	-
().	-
,	-
,	-
.	-

	-
.	- /
).	- ,
(-
)	(..
.	/
.)
.	-
.	- .
.	- ,
.	- ,
.	-
.	-
.	-
.	- /
.	-
.	-
.	-

,